

OXIDATION OF UNACTIVATED C–H BONDS CATALYZED BY MANGANESE COMPLEXES: CONTROL OVER SITE- SELECTIVITY AND ENANTIOSELECTIVITY

Michela Milan

Per citar o enllaçar aquest document:
Para citar o enlazar este documento:
Use this url to cite or link to this publication:
<http://hdl.handle.net/10803/664865>



<http://creativecommons.org/licenses/by/4.0/deed.ca>

Aquesta obra està subjecta a una llicència Creative Commons Reconeixement

Esta obra está bajo una licencia Creative Commons Reconocimiento




This work is licensed under a Creative Commons Attribution licence

Digital Experimental Section


Experimental Section: Chapter VI.1

Tuning Selectivity in Aliphatic C–H Bond Oxidation of *N*-Alkylamides and Phthalimides Catalyzed by Manganese Complexes


A1 ^1H and $^{13}\text{C}\{^1\text{H}\}$ NMR spectra of substrates




DIGITAL EXPERIMENTAL SECTION






^1H -NMR of **S2** in CDCl_3





$^{13}\text{C}\{^1\text{H}\}$ -NMR of **S2** in CDCl_3






DIGITAL EXPERIMENTAL SECTION







¹H-NMR of S5 in CDCl₃




¹³C{¹H}-NMR of S5 in CDCl₃




DIGITAL EXPERIMENTAL SECTION





^1H -NMR of **S6** in CDCl_3




$^{13}\text{C}\{^1\text{H}\}$ -NMR of **S6** in CDCl_3









^1H -NMR of S8 in CDCl_3




$^{13}\text{C}\{\text{H}\}$ -NMR of S8 in CDCl_3







^1H -NMR of **S9** in CDCl_3




$^{13}\text{C}\{^1\text{H}\}$ -NMR of **S9** in CDCl_3




DIGITAL EXPERIMENTAL SECTION






^1H -NMR of **S10** in CDCl_3





$^{13}\text{C}\{^1\text{H}\}$ -NMR of **S10** in CDCl_3





¹H-NMR of S11 in CDCl₃¹³C{¹H}-NMR of S11 in CDCl₃

DIGITAL EXPERIMENTAL SECTION














DIGITAL EXPERIMENTAL SECTION




A2 ^1H and $^{13}\text{C}\{^1\text{H}\}$ NMR spectra of isolated products $^1\text{H-NMR}$ of **P1** in CDCl_3  $^{13}\text{C}\{^1\text{H}\}$ -NMR of **P1** in CDCl_3 


DIGITAL EXPERIMENTAL SECTION




¹H-NMR of P2 in CDCl₃




¹³C{¹H}-NMR of P2 in CDCl₃







¹H-NMR of P2_i in CDCl₃




¹³C{¹H}-NMR of P2_i in CDCl₃




DIGITAL EXPERIMENTAL SECTION




¹H-NMR of P4 in CDCl₃




¹³C{¹H}-NMR of P4 in CDCl₃







¹H-NMR of P5 in CDCl₃




¹³C{¹H}-NMR of P5 in CDCl₃




DIGITAL EXPERIMENTAL SECTION







DIGITAL EXPERIMENTAL SECTION




^1H -NMR of **P7** in CDCl_3




$^{13}\text{C}\{^1\text{H}\}$ -NMR of **P7** in CDCl_3







DIGITAL EXPERIMENTAL SECTION




^1H -NMR of **P9** in CDCl_3




$^{13}\text{C}\{^1\text{H}\}$ -NMR of **P9** in CDCl_3







$^1\text{H-NMR}$ of **P10** in CDCl_3




$^{13}\text{C}\{^1\text{H}\}$ -NMR of **P10** in CDCl_3




DIGITAL EXPERIMENTAL SECTION




^1H -NMR of **P11** in CDCl_3




$^{13}\text{C}\{^1\text{H}\}$ -NMR of **P11** in CDCl_3








¹H-NMR of P12 in CDCl₃







¹³C{¹H}-NMR of P12 in CDCl₃












¹H-NMR of P14 in CDCl₃¹³C{¹H}-NMR of P14 in CDCl₃




DIGITAL EXPERIMENTAL SECTION











¹H-NMR of P17_b in CH₃OD




¹³C{¹H}-NMR of P17_b in CH₃OD




Experimental Section: Chapter VI.2

Highly Enantioselective Oxidation of Nonactivated Aliphatic C–H Bonds with Hydrogen Peroxide Catalyzed by Manganese Complexes


A1 ^1H and $^{13}\text{C}\{^1\text{H}\}$ NMR spectra of ligands




DIGITAL EXPERIMENTAL SECTION






¹H-NMR of ^{TIPS}PyCl in CDCl₃




¹³C{¹H}-NMR of **TIPS**PyCl in CDCl₃




 $^1\text{H-NMR}$ of $\text{C}_6\text{F}_3\text{mcp}$ in CDCl_3  $^{13}\text{C}\{^1\text{H}\}$ -NMR of $\text{C}_6\text{F}_3\text{mcp}$ in CDCl_3 


DIGITAL EXPERIMENTAL SECTION




¹H-NMR of ^{TIPS}ecp in CDCl₃




¹³C{¹H}-NMR of ^{TIPS}e cp in CDCl₃







DIGITAL EXPERIMENTAL SECTION









^1H -NMR of **TIPSchcp** in CDCl_3




$^{13}\text{C}\{^1\text{H}\}$ -NMR of **TIPSchcp** in CDCl_3




 ^1H -NMR of $^{\text{TIPS}}\text{tBucp}$ in CDCl_3  $^{13}\text{C}\{^1\text{H}\}$ -NMR of $^{\text{TIPS}}\text{tBucp}$ in CDCl_3 


A2 ^1H and $^{13}\text{C}\{^1\text{H}\}$ NMR spectra of substrates ^1H -NMR of **S8** in CDCl_3  $^{13}\text{C}\{^1\text{H}\}$ -NMR of **S8** in CDCl_3 




¹H-NMR of S9 in CDCl₃




¹³C{¹H}-NMR of S9 in CDCl₃




DIGITAL EXPERIMENTAL SECTION






^1H -NMR of **S10** in CDCl_3




$^{13}\text{C}\{^1\text{H}\}$ -NMR of **S10** in CDCl_3




 $^1\text{H-NMR}$ of **S11** in CDCl_3  $^{13}\text{C}\{^1\text{H}\}\text{-NMR}$ of **S11** in CDCl_3 


DIGITAL EXPERIMENTAL SECTION




^1H -NMR of **S12** in CDCl_3




$^{13}\text{C}\{^1\text{H}\}$ -NMR of **S12** in CDCl_3







¹H-NMR of S13 in CDCl₃




¹³C{¹H}-NMR of **S13** in CDCl₃




DIGITAL EXPERIMENTAL SECTION






^1H -NMR of **S14** in CDCl_3




$^{13}\text{C}\{^1\text{H}\}$ -NMR of **S14** in CDCl_3




¹H-NMR of S15 in CDCl₃¹³C{¹H}-NMR of S15 in CDCl₃


DIGITAL EXPERIMENTAL SECTION




^1H -NMR of **S17** in CDCl_3




$^{13}\text{C}\{^1\text{H}\}$ -NMR of **S17** in CDCl_3







^1H -NMR of **S19** in CDCl_3




$^{13}\text{C}\{^1\text{H}\}$ -NMR of **S19** in CDCl_3




DIGITAL EXPERIMENTAL SECTION






^1H -NMR of **S20** in CDCl_3




$^{13}\text{C}\{^1\text{H}\}$ -NMR of **S20** in CDCl_3




 ^1H -NMR of **S21** in CDCl_3  $^{13}\text{C}\{\text{H}\}$ -NMR of **S21** in CDCl_3 


DIGITAL EXPERIMENTAL SECTION




¹H-NMR of **S22** in CDCl₃




¹³C{¹H}-NMR of **S22** in CDCl₃




A3 ^1H and $^{13}\text{C}\{^1\text{H}\}$ NMR spectra of isolated products




DIGITAL EXPERIMENTAL SECTION




¹H-NMR of P2 (K₃) in CDCl₃




¹³C{¹H}-NMR of P2 (K₃) in CDCl₃







^1H -NMR of **P2 (K₄)** in CDCl₃





$^{13}\text{C}\{^1\text{H}\}$ -NMR of **P2 (K₄)** in CDCl₃






DIGITAL EXPERIMENTAL SECTION




¹H-NMR of P3 (K₃+K₄) in CDCl₃




¹H-NMR of P4 (K₃+K₄) in CDCl₃¹³C{¹H}-NMR of P4 (K₃+K₄) in CDCl₃


DIGITAL EXPERIMENTAL SECTION




¹H-NMR of P5 (K₃+K₄) in CDCl₃




¹³C{¹H}-NMR of P5 (K₃+K₄) in CDCl₃







¹H-NMR of P6 (K₃+K₄) in CDCl₃




¹³C{¹H}-NMR of P6 (K₃+K₄) in CDCl₃




DIGITAL EXPERIMENTAL SECTION






¹H-NMR of P7 in CDCl₃




¹³C{¹H}-NMR of P7 in CDCl₃








 $^1\text{H-NMR}$ of **P8** in CDCl_3  $^{13}\text{C}\{^1\text{H}\}$ -NMR of **P8** in CDCl_3 

DIGITAL EXPERIMENTAL SECTION




$^1\text{H-NMR}$ of **P9** in CDCl_3








¹H-NMR of P10 in CDCl₃¹³C{¹H}-NMR of P10 in CDCl₃

DIGITAL EXPERIMENTAL SECTION




¹H-NMR of P11 in CDCl₃




¹H-NMR of P12 in CDCl₃


DIGITAL EXPERIMENTAL SECTION






¹H-NMR of P13 in CDCl₃




¹³C{¹H}-NMR of P13 in CDCl₃




¹H-NMR of P14 in CDCl₃¹³C{¹H}-NMR of P14 in CDCl₃


DIGITAL EXPERIMENTAL SECTION






¹H-NMR of P15 in CDCl₃




¹³C{¹H}-NMR of P15 in CDCl₃




¹H-NMR of P17 in CDCl₃¹³C{¹H}-NMR of P17 in CDCl₃

DIGITAL EXPERIMENTAL SECTION




P18 (K_3)








P18 (K_4)

¹H-NMR of **P18 (K₃+K₄)** in CDCl₃




¹³C{¹H}-NMR of **P18 (K₃+K₄)** in CDCl₃




¹H-NMR of P19 (K_3+K_4) in CDCl₃¹³C{¹H}-NMR of P19 (K_3+K_4) in CDCl₃


DIGITAL EXPERIMENTAL SECTION






¹H-NMR of P20 in CDCl₃




¹³C{¹H}-NMR of **P20** in CDCl₃




¹H-NMR of P21 in CDCl₃¹³C{¹H}-NMR of P21 in CDCl₃


DIGITAL EXPERIMENTAL SECTION



^1H -NMR of **P22** in CDCl_3




$^{13}\text{C}\{\text{H}\}$ -NMR of **P22** in CDCl_3




A4 HPLC and GC spectra of products


The racemic products were obtained by using the racemic $[\text{Mn}(\text{CF}_3\text{SO}_3)_2(\text{TiPSmcp})]$ complex.




Rac




P1 (K_3)




DIGITAL EXPERIMENTAL SECTION







Rac




P2 (K_3)




**Rac****P3 (K₃)**




Rac





P4 (K_3)







Rac

P5 (K_3) after esterification


DIGITAL EXPERIMENTAL SECTION




Rac




P6 (K₃)







Rac




P7








Rac




P8 (*S,S*)-(^{TIPS}ecp)




P8 (R_sR)-(^{TIPS}mcp)**P8 (S_sS)-(^{TIPS}mcp)**


DIGITAL EXPERIMENTAL SECTION




Rac




P9







Rac




P10







Rac




P11







Rac




P12




DIGITAL EXPERIMENTAL SECTION




Rac




P13







Rac




P14




DIGITAL EXPERIMENTAL SECTION




Rac




P15







Rac




P16




DIGITAL EXPERIMENTAL SECTION





Rac




P17



HPLC-separation conditions: Chiralpack IA 25°C, 240.8 nm, 88/12 hexane/i-PrOH, 1.0 mL/min; r.t.(minor) = 26.166 min, r.t.(major) = 27.910 min.


**Rac**

Peak #	RetTime [min]	Sig	Type	Area [mAU*s]	Height [mAU]	Area %
1	26.674	1	BV	6397.72949	131.63432	46.6248
2	28.318	1	VB	7323.99268	131.42468	53.3752


P18 (K₃)

Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	26.166	BV	0.5937	1895.62903	47.48789	19.1476
2	27.910	VB	0.7504	8004.47949	158.72383	80.8524


DIGITAL EXPERIMENTAL SECTION




Rac




P20







Rac




P21




Chiral resolution of **S21:**




Rac




S21






Rac



P22



DIGITAL EXPERIMENTAL SECTION

The following GC methods were used to separate the enantiomers:

For P1, P3, P6:

	Rate °C/min	Value °C	Hold Time min	Run Time min
► (Initial)		75	0.5	0.5
Ramp 1	10	180	1	12
Ramp 2	13	75	0	20.077
*				

For P2:

	Rate °C/min	Value °C	Hold Time min	Run Time min
► (Initial)		75	0.5	0.5
Ramp 1	5	180	10	31.5
Ramp 2	13	75	0	39.577
*				

For P4, P5:

	Rate °C/min	Value °C	Hold Time min	Run Time min
► (Initial)		75	0.5	0.5
Ramp 1	1	100	40	65.5
Ramp 2	10	180	3	76.5
Ramp 3	13	75	0	84.577
*				

For P7, P8, P9, P10, P12, P16, P21:

	Rate °C/min	Value °C	Hold Time min	Run Time min
► (Initial)		75	0.5	0.5
Ramp 1	10	180	10	21
Ramp 2	13	75	0	29.077
*				

For P11, P17, P22:

	Rate °C/min	Value °C	Hold Time min	Run Time min
► (Initial)		75	0.5	0.5
Ramp 1	10	130	80	86
*				

For P13:

	Rate °C/min	Value °C	Hold Time min	Run Time min
► (Initial)		75	0	0
Ramp 1	10	160	60	68.5
Ramp 2	13	75	0	75.038
*				

For P14:

	Rate °C/min	Value °C	Hold Time min	Run Time min
► [Initial]		75	0	0
Ramp 1	10	150	60	67.5
Ramp 2	13	75	0	73.269
*				

For P15:

	Rate °C/min	Value °C	Hold Time min	Run Time min
► [Initial]		75	0	0
Ramp 1	10	180	60	70.5
Ramp 2	13	75	0	78.577
*				

For P20:

	Rate °C/min	Value °C	Hold Time min	Run Time min
► [Initial]		75	0.5	0.5
Ramp 1	10	120	200	205
Ramp 2	13	75	0	208.46
*				


For S21:

	Rate °C/min	Value °C	Hold Time min	Run Time min
► [Initial]		75	0	0
Ramp 1	5	170	10	29
Ramp 2	5	75	0	48
*				


Experimental Section: Chapter VI.3

Aliphatic C–H Bonds Oxidations with Hydrogen Peroxide Catalyzed by Manganese Complexes: Directing Selectivity through Torsional Effects


A1 ^1H and $^{13}\text{C}\{^1\text{H}\}$ NMR spectra of substrates




^1H -NMR of *cis*-1 in CDCl_3




$^{13}\text{C}\{^1\text{H}\}$ -NMR of *cis*-1 in CDCl_3




DIGITAL EXPERIMENTAL SECTION






^1H -NMR of *trans*-**1** in CDCl_3




$^{13}\text{C}\{^1\text{H}\}$ -NMR of *trans*-**1** in CDCl_3




¹H-NMR of *cis*-2 in CDCl₃¹³C{¹H}-NMR of *cis*-2 in CDCl₃


DIGITAL EXPERIMENTAL SECTION




^1H -NMR of *trans*-**2** in CDCl_3




$^{13}\text{C}\{^1\text{H}\}$ -NMR of *trans*-**2** in CDCl_3







¹H-NMR of *cis*-3 in CDCl₃




¹³C{¹H}-NMR of *cis*-3 in CDCl₃




DIGITAL EXPERIMENTAL SECTION






^1H -NMR of *trans*-3 in CDCl_3




$^{13}\text{C}\{^1\text{H}\}$ -NMR of *trans*-3 in CDCl_3




¹H-NMR of *trans*-4 in CDCl₃¹³C{¹H}-NMR of *trans*-4 in CDCl₃


DIGITAL EXPERIMENTAL SECTION






^1H -NMR of 5 in CDCl_3




$^{13}\text{C}\{^1\text{H}\}$ -NMR of 5 in CDCl_3




¹H-NMR of **6** in CDCl₃¹³C{¹H}-NMR of **6** in CDCl₃


DIGITAL EXPERIMENTAL SECTION






¹H-NMR of **7** in CDCl₃




$^{13}\text{C}\{^1\text{H}\}$ -NMR of **7** in CDCl_3




¹H-NMR of **8** in CDCl₃¹³C{¹H}-NMR of **8** in CDCl₃


DIGITAL EXPERIMENTAL SECTION




¹H-NMR of 9 in CDCl₃





¹³C{¹H}-NMR of **9** in CDCl₃









A1 ^1H and $^{13}\text{C}\{^1\text{H}\}$ NMR spectra of products




¹³C{¹H}-NMR of **1a** in CDCl₃




¹H-NMR of 2a in CDCl₃¹³C{¹H}-NMR of 2a in CDCl₃


DIGITAL EXPERIMENTAL SECTION






¹H-NMR of 3a in CDCl₃




¹³C{¹H}-NMR of **3a** in CDCl₃




¹H-NMR of 4a in CDCl₃¹³C{¹H}-NMR of 4a in CDCl₃


DIGITAL EXPERIMENTAL SECTION






^1H -NMR of **4b** in CDCl_3




$^{13}\text{C}\{^1\text{H}\}$ -NMR of **4b** in CDCl_3




¹H-NMR of *trans*-5 in CDCl₃¹³C{¹H}-NMR of *trans*-5 in CDCl₃


DIGITAL EXPERIMENTAL SECTION






^1H -NMR of **5a** in CDCl_3




$^{13}\text{C}\{^1\text{H}\}$ -NMR of **5a** in CDCl_3




¹H-NMR of **5b** in CDCl₃¹³C{¹H}-NMR of **5b** in CDCl₃


DIGITAL EXPERIMENTAL SECTION







^1H -NMR of *trans*-6 in CDCl_3




$^{13}\text{C}\{^1\text{H}\}$ -NMR of *trans*-6 in CDCl_3




¹H-NMR of 6a in CDCl₃¹³C{¹H}-NMR of 6a in CDCl₃






¹H-NMR of **6b** in CDCl₃




¹³C{¹H}-NMR of **6b** in CDCl₃




¹H-NMR of *trans*-7 in CDCl₃¹³C{¹H}-NMR of *trans*-7 in CDCl₃


DIGITAL EXPERIMENTAL SECTION






^1H -NMR of **7a** in CDCl_3




$^{13}\text{C}\{^1\text{H}\}$ -NMR of **7a** in CDCl_3




¹H-NMR of 7b in CDCl₃¹³C{¹H}-NMR of 7b in CDCl₃


DIGITAL EXPERIMENTAL SECTION






^1H -NMR of *trans*-**8** in CDCl_3




$^{13}\text{C}\{^1\text{H}\}$ -NMR of *trans*-**8** in CDCl_3




¹H-NMR of **8a** in CDCl₃¹³C{¹H}-NMR of **8a** in CDCl₃


DIGITAL EXPERIMENTAL SECTION






^1H -NMR of *trans*-9 in CDCl_3




$^{13}\text{C}\{^1\text{H}\}$ -NMR of *trans*-9 in CDCl_3




 ^1H -NMR of **9a** in CDCl_3  $^{13}\text{C}\{^1\text{H}\}$ -NMR of **9a** in CDCl_3 


DIGITAL EXPERIMENTAL SECTION




^1H -NMR of *trans*-**10** in CDCl_3




$^{13}\text{C}\{^1\text{H}\}$ -NMR of *trans*-**10** in CDCl_3






¹H-NMR of **10a** in CDCl₃




¹³C{¹H}-NMR of **10a** in CDCl₃




GC Spectra of Products


The racemic products were obtained by using the racemic $[\text{Mn}(\text{CF}_3\text{SO}_3)_2(\text{TIPSmcp})]$ complex.




Rac





1a (*S,S*)- $\text{Mn}(\text{TIPSmcp})$








Rac

4a (*S,S*)-Mn(^{TIPS}mcp)


DIGITAL EXPERIMENTAL SECTION



4a (*R,R*)-Mn(^{TIPS}mcp)









5a (*R,R*)-Mn(^{TIPS}mcp)











6a (*S,S*)-Mn(^{TIPS}mcp)








DIGITAL EXPERIMENTAL SECTION







The following GC methods were used to separate the enantiomers:

For 1a:

	Rate °C/min	Value °C	Hold Time min	Run Time min
► [Initial]		75	0	0
Ramp 1	10	150	360	367.5
Ramp 2	13	75	0	373.27
*				

For 4a:

	Rate °C/min	Value °C	Hold Time min	Run Time min
► [Initial]		75	0.5	0.5
Ramp 1	10	180	10	21
Ramp 2	13	75	0	29.077
*				

For 5a, 6a:

	Rate °C/min	Value °C	Hold Time min	Run Time min
► [Initial]		75	0	0
Ramp 1	10	180	60	70.5
Ramp 2	13	75	0	78.577
*				

For 7a:

	Rate °C/min	Value °C	Hold Time min	Run Time min
► [Initial]		75	0	0
Ramp 1	10	150	120	127.5
*				

For 8a, 10a:

	Rate °C/min	Value °C	Hold Time min	Run Time min
► [Initial]		75	0.5	0.5
Ramp 1	10	180	30	41
*				

For 9a:

	Rate °C/min	Value °C	Hold Time min	Run Time min
► [Initial]		75	0.5	0.5
Ramp 1	10	160	30	39
*				