










POLEA MACIZA TIPO HTD DE PASO 5M



5M - 09

MATERIALE	CODICE	TIPO	DENTI	Dp	De	Df	Dm	Di	F	L	d	N° FLANGIA	Kg
ACCIAIO	12-5M-09	2F	12	19,10	17,96	23	12,5	-	14,5	20,0	6	202	0,03
	14-5M-09	2F	14	22,28	21,14	25	13,5	-	14,5	20,0	6	203	0,04
	15-5M-09	2F	15	23,87	22,73	28	16,0	-	14,5	20,0	6	204	0,05
	16-5M-09	2F	16	25,46	24,32	28	16,5	-	14,5	20,0	6	204	0,06
	18-5M-09	2F	18	28,65	27,51	32	20,0	-	14,5	20,0	6	205	0,07
	20-5M-09	2F	20	31,83	30,69	36	23,0	-	14,5	22,5	6	206	0,10
	21-5M-09	2F	21	33,42	32,28	38	24,0	-	14,5	22,5	6	207	0,12
	22-5M-09	2F	22	35,01	33,87	38	25,5	-	14,5	22,5	6	207	0,13
	24-5M-09	2F	24	38,20	37,06	42	27,0	-	14,5	22,5	6	208	0,15
	26-5M-09	2F	26	41,38	40,24	44	30,0	-	14,5	22,5	6	209	0,18
	28-5M-09	2F	28	44,56	43,42	48	30,5	-	14,5	22,5	6	210	0,21
	30-5M-09	2F	30	47,75	46,60	51	35,0	-	14,5	22,5	6	211	0,25
	32-5M-09	2F	32	50,93	49,79	54	38,0	-	14,5	22,5	8	212	0,28
	36-5M-09	2F	36	57,30	56,16	60	38,0	-	14,5	22,5	8	214	0,33
	40-5M-09	2F	40	63,66	62,52	71	38,0	-	14,5	22,5	8	217	0,42
	ALLUMINIO UNI 9006 - T6	44-5M-09	2	44	70,03	68,89	-	38,0	-	14,5	25,5	8	-
48-5M-09		2	48	76,39	75,25	-	45,0	-	14,5	25,5	8	-	0,18
60-5M-09		2	60	95,49	94,35	-	45,0	-	14,5	25,5	8	-	0,23
72-5M-09		2	72	114,59	113,45	-	45,0	-	14,5	25,5	8	-	0,42

5M - 15

MATERIALE	CODICE	TIPO	DENTI	Dp	De	Df	Dm	Di	F	L	d	N° FLANGIA	Kg
ACCIAIO	12-5M-15	2F	12	19,10	17,96	23	12,5	-	20,5	26	6	202	0,03
	14-5M-15	2F	14	22,28	21,14	25	13,5	-	20,5	26	6	203	0,04
	15-5M-15	2F	15	23,87	22,73	28	16,0	-	20,5	26	6	204	0,05
	16-5M-15	2F	16	25,46	24,32	28	16,5	-	20,5	26	6	204	0,06
	18-5M-15	2F	18	28,65	27,51	32	20,0	-	20,5	26	6	205	0,09
	20-5M-15	2F	20	31,83	30,69	36	23,0	-	20,5	26	6	206	0,12
	21-5M-15	2F	21	33,42	32,28	38	24,0	-	20,5	26	6	207	0,14
	22-5M-15	2F	22	35,01	33,87	38	25,5	-	20,5	26	6	207	0,15
	24-5M-15	2F	24	38,20	37,06	42	27,0	-	20,5	28	6	208	0,19
	26-5M-15	2F	26	41,38	40,24	44	30,0	-	20,5	28	6	209	0,23
	28-5M-15	2F	28	44,56	43,42	48	30,5	-	20,5	28	6	210	0,26
	30-5M-15	2F	30	47,75	46,60	51	35,0	-	20,5	28	6	211	0,32
	32-5M-15	2F	32	50,93	49,79	54	38,0	-	20,5	28	8	212	0,35
	36-5M-15	2F	36	57,30	56,16	60	38,0	-	20,5	28	8	214	0,43
	40-5M-15	2F	40	63,66	62,52	71	38,0	-	20,5	28	8	217	0,52
	ALLUMINIO UNI 9006 - T6	44-5M-15	2	44	70,03	68,89	-	38,0	-	20,5	30	8	-
48-5M-15		2	48	76,39	75,25	-	38,0	-	20,5	30	8	-	0,29
60-5M-15		2	60	95,49	94,35	-	50,0	-	20,5	30	8	-	0,30
72-5M-15		2	72	114,59	113,45	-	50,0	-	20,5	30	8	-	0,59

